



## Request for Quotation

**2020-EDW-79**

### **SIDEWALK PANEL AND CURB REPLACEMENTS**

#### **INSTRUCTIONS TO BIDDERS:**

Quotations will be accepted until **2:00 p.m. October 8, 2020** at the following address:

**Attn: Patti White, Purchasing Clerk  
332 Main Street, Shire Hall, Picton ON K0K 2T0**

Facsimile or e-mailed quotations will be accepted. Fax number is 613-476-7622 or by e-mail [pwhite@pecounty.on.ca](mailto:pwhite@pecounty.on.ca).

The County of Prince Edward is requesting written quotations for the replacement of existing sidewalk panels and curb at various locations.

#### **SCOPE OF WORK**

This tender is for SIDEWALK CONSTRUCTION MAINTENANCE AND CURB & GUTTER REPAIRS for The Corporation of the County of Prince Edward (herein referred to as the Owner) for 2020. The work specified in this contract will be performed at the locations specified, or otherwise, as required in strict accordance with the Special Provision, Specifications and Conditions of this contract.

The Contractor shall provide all labour, equipment, materials and supervision necessary to complete the work as described in this Contract and the referenced materials. The Contractor's unit price bid shall include all costs including labour, equipment, materials and supervision associated with the removal & disposal of existing sidewalk material, the supply, preparation, placement and finishing of new granular base & concrete sidewalk and the restoration of the site as specified.

#### **1. Special Provisions – General**

This Special Provision amends and takes precedence over certain Sections of the Ontario Provincial Standard Specifications General Conditions of Contract (OPSS.MUNI 100) dated November 2018. All Sections of OPSS.MUNI 100 not amended by the Special Provisions of this contract shall take precedence in the order set out in Section GC2.02.

**1.1. Section GC 8.02.09 Liquidated Damages:**

In the event that all work is not completed within the allowed time, it is agreed that damage will be sustained by the Owner and that it is and will be impracticable and extremely difficult to ascertain the actual value of the damage sustained. It is agreed that the damages will be estimated to be and that the Contractor shall pay the Owner, Liquidated Damages in the sum of Five Hundred Dollars (\$500.00) for every calendar day, except Saturdays, Sundays and Statutory Holidays, taken to complete the work in excess of the allowed time for completion. The Owner may deduct any amount due under this Section from any monies that may be due or payable to the Contractor on any account whatsoever.

The liquidated damages payable under this Section are in addition to and without prejudice to any other remedy, action or other alternative that may be available to the Owner.

**1.2. Working Hours:**

A working day is considered any day excluding Saturday, Sundays and Statutory Holidays (GC 1.04). For the purpose of this contract, working hours on a working day will extend from 7:00am to 6:00pm.

**2. Special Provisions – Specifications**

**2.1. Ontario Provincial Standard Specifications & Standard Drawings:**

2.1.1. This contract document references Ontario Provincial Standards for Roads and Municipal Services, Volumes 1-4, 7 & 8. Copies of the specifications referenced are available for download, free of charge, at:

<http://www.raqsb.mto.gov.on.ca/techpubs/ops.nsf/OPSHomepage>

2.1.2. It shall be the Bidder’s responsibility to review the referenced specifications, including their subsequent specifications, in their entirety.

2.1.3. Work performed in this Contract shall be in strict accordance with the Ontario Provincial Standard Specifications (OPSS) and Ontario Provincial Standard Drawings (OPSD) included in, but not limited to, the list below:

|                           |                            |                            |
|---------------------------|----------------------------|----------------------------|
| OPSS.MUNI 206 (Nov. 2013) | OPSS.MUNI 904 (Nov. 2017)  | OPSS 1315 (Nov. 2008)      |
| OPSS.MUNI 314 (Nov. 2016) | OPSS 919 (Nov. 2011)       | OPSS.MUNI 1350 (Nov. 2017) |
| OPSS 351 (Nov. 2015)      | OPSS.MUNI 1002 (Nov. 2013) | OPSD 310.010 (Nov. 2015)   |
| OPSS.MUNI 353 (Nov. 2016) | OPSS.MUNI 1010 (Nov. 2013) | OPSD 310.020 (Nov. 2015)   |
| OPSS.MUNI 501 (Nov. 2017) | OPSS 1308 (Nov. 2003)      | OPSD 310.050 (Nov. 2015)   |

## **2.2. Act and Regulation Compliance**

- 2.2.1. The Contractor shall comply with the Occupational Health and Safety Act (OHSA) and Regulations. The Contractor will be responsible for compliance of any employees while working under this Contract.
- 2.2.2. The Contractor shall be in compliance with the provisions of the AODA (Accessibility for Ontarians with Disabilities Act) 2005 and regulations thereto in effect during the term of the Contract.

## **2.3. Drainage of Adjacent Lands:**

- 2.3.1. The Contractor shall their operations such that the drainage of adjacent lands will not be blocked by materials from the excavation or stockpiled backfill. At the direction of the Owner, the Contractor shall take immediate corrective action to alleviate any drainage problems caused by operations for this contract.

## **2.4. Access to Property:**

- 2.4.1. The Contractor shall ensure that access to properties is restored at the end of each working day when applicable. During concrete curing where access to properties will be affected, the Contractor shall notify the effected property owner(s) a minimum of 48 hours prior to access closure. Notification may be verbal or written notice to property owner.

## **2.5. Traffic Control:**

- 2.5.1. All traffic control and signing shall comply with current standards including Ontario Traffic Manual Book 7.
- 2.5.2. The Contractor shall at all times provide adequate protection for the work zone and the public.
- 2.5.3. The Contractor shall always consider the well-being and convenience of the public.

## **2.6. Project Timing & Contract Time:**

- 2.6.1. To assist the Contractor, the following schedule is contemplated:
  - RFQ Close: October 8, 2020
  - Award of RFQ: October 14, 2020
  - Construction Start Date: After required submittals are received
  - Construction Complete: November 20, 2020
- 2.6.2. All work shall be completed by November 20, 2020, subject to any extensions allowed under Section GC3.07 of OPSS.MUNI 100.

## **2.7. Quantities:**

2.7.1. The quantities contained in the Schedule of Quantities and Prices are estimated and are subject to additions or deletions as approved and issued by the Owner. Final payment may be adjusted from the quantities contained in this contract by the Owner based on as built quantities through approved changes.

**2.8. Invoicing:**

2.8.1. All invoicing to the Owner shall include the following in the cost breakdown:

- Location Number
- Quantity
- Unit Price
- Date Completed
- Item Number

**2.9. Approved Equals:**

2.9.1. The Contractor may submit a written request to use alternate materials to the Owner for approval. Any alteration from the specified materials will be subject to the approval of the Owner. The Contractor shall not make a substitution without written approval from the Owner prior to receipt of material on site. The Contractor shall clearly state the reason for the request for substitution and clearly indicate whether there is additional cost, credit or no difference in the tendered price as a result of the alternative.

2.9.2. The Contractor shall be required to pay all costs for any geotechnical testing of materials which do not meet the specifications. These costs will be invoiced to the Contractor by the Owner or deducted from the Contractor's final Payment Certificate if geotechnical testing invoices are outstanding.

**2.10. Utility Locates:**

2.10.1. The Contractor shall be responsible for obtaining utility locates for each work location prior to commencement of work at each location.

**2.11. Equipment & Hired Equipment with Operators:**

2.11.1. The Contractor shall provide equipment which is suitable for the varying site conditions and in good working condition.

2.11.2. The Contractor shall be responsible for payment of the wages of any operator(s) hired and, when required, shall furnish evidence to the Owner that these wages have been paid in full. If the Contractor fails to do so, the Owner shall have the right to withhold payment for such sum or sums of money due that would be sufficient to cover any default.

**2.12. Removal, Supply, Preparation, Placement and Finishing:**

- 2.12.1. The successful bidder shall be responsible for the removal of existing sidewalk and the supply, preparation, placement and finishing of new concrete sidewalk to the limits and depths indicated in this contract.
- 2.12.2. All materials shall conform to the following:
- 2.12.3. *Aggregates*: Aggregate for use in concrete on this project shall conform to OPSS.MUNI 1002: Material Specification for Aggregates – Concrete dated November 2013.
- 2.12.4. *Concrete*: All concrete shall conform to OPSS.MUNI 1350: Material Specification for Concrete – Materials and Production dated November 2017.
- 2.12.5. *Curing Compound*: Curing compound shall conform to OPSS 1315: Material Specification for White Pigmented Curing Compound for Concrete dated November 2008.
- 2.12.6. The Contractor shall submit a concrete mix design to the Owner 48 hours prior to the commencement of concrete pouring and placement. Concrete design shall be based on the following specifications:
- Class of Concrete: 32MPa at 28 days
  - Course Aggregate: 19mm nominal maximum size
  - Air Content: 7% ±1% measured prior to placement
  - Maximum Slump: 70mm ± 20mm
- 2.12.7. The Contractor shall be responsible for all removals which shall conform to OPSS.MUNI 510 dated November 2018. The Municipality will retain all removed concrete and the Contractor shall include the cost of transportation of concrete to stockpiles located at the County of Prince Edward Pit at 470 Ridge Road in the unit price bids. All removals shall include saw-cutting of existing asphalt or concrete in parallel straight lines. The Contractor shall take precautions to minimize dust created by saw-cutting.
- 2.12.8. After removals, the base preparation shall include the supply, placement and compaction of Granular A material, at a minimum compacted depth of 50mm.
- 2.12.9. The depth of new concrete sidewalk shall be a minimum of 125mm, except in the following situations:
- where adjacent to curbs or residential driveways the thickness shall be a minimum of 150mm
  - where adjacent to commercial or industrial driveways the thickness shall be a minimum of 200mm.
- 2.12.10. The existing asphalt boulevards and driveways may be used as forms for sidewalk and curb where possible.
- 2.12.11. Any alignment or elevation changes that are required shall be approved by the Owner prior to pouring.

- 2.12.12. All new concrete sidewalks and curb & gutters shall be poured and finished to match existing sections and joint patterns.
- 2.12.13. Concrete sidewalk joints shall not exceed the depths defined in OPSD 310.010 Rev. 2 for Concrete Sidewalk dated November 2015.
- 2.12.14. Should the Contractor be required to re-excavate in an area previously restored to correct or test defective work, the Contractor shall be required to repair all re-excavated areas at no additional cost to the Contract.

**2.13. Cold Weather Specifications:**

- 2.13.1. Cold weather is as defined in OPSS.MUNI 904 (Nov. 2012), where air temperature is at or below 5°C or is likely to fall below 5°C within 96 hours of completion of concrete placement.
- 2.13.2. All cold weather work shall be as per OPSS.MUNI 904 (Nov. 2012) with attention to
  - 2.13.2.1. Section 904.07.06.02 Concrete Placing Conditions
  - 2.13.2.2. Section 904.07.10.01 Curing: General
  - 2.13.2.3. Section 904.07.11 Control of Temperature and Temperature Difference
- 2.13.3. All expenses (materials, labour, supervision and equipment) related to cold weather work, cold weather placement and cold weather curing shall be quantified in Item 5: Cold Weather Work.
- 2.13.4. Item 5: Cold Weather Work will only be added to the contract where required by the temperatures. The Contractor shall make all efforts to avoid cold weather concrete placement and curing.

**2.14. Tactile Plate with Sidewalk Panel Replacements:**

- 2.14.1. Replacement tactile plates shall be cast iron with yellow powder coat finish.
- 2.14.2. Tactile plates shall conform to OPSD 310.039 Nov. 2015.
- 2.14.3. Ramp/tactile plate replacement panel shall be as per OPSD 310.033 Nov. 2015.
- 2.14.4. Tactile plates shall be supplied and installed by the Contractor during pouring of sidewalk panel replacement.
- 2.14.5. Existing plates and connections to sidewalk shall be disposed of separately from the concrete material.

**2.15. Permanent Surface Reinstatement:**

- 2.15.1. All disturbed areas must be restored to a condition equivalent or greater to that which existed prior to the commencement of construction as determined by the Owner.

- 2.15.2. The unit price bids shall include, at a minimum, the following reinstatement in all disturbed driveway areas and hard surface boulevards:
- remove all debris
  - supply, place and compact Granular A base as required
  - reinstate surface with appropriate material (hot mix asphalt, interlocking brick, Granular A, etc.) to match existing compacted driveway/boulevard depth
- 2.15.3. The unit price bids shall include, at a minimum, the following reinstatement in all disturbed maintained grass areas including but not limited to lawns, boulevards, ditches, easements:
- remove all debris, including stones larger than 25mm
  - supply and place screened topsoil, hand-raked throughout to a minimum depth of 125mm
  - supply and place grass seed
- 2.15.4. All grass/sod material, interlocking pavers, etc. shall be backfilled/reinstated immediately after forms are removed.
- 2.15.5. Complete reinstatement with final surface material must be completed prior to November 30, 2020. Temporary reinstatement of asphalt areas (boulevard, driveway, etc.) may be with Granular A material. It shall be the Contractor's responsibility to supply, place and remove the additional Granular A to temporarily reinstate the asphalt areas at no additional cost to the Contract.

**SCHEDULE OF QUANTITIES:** Appendix A

**WARRANTIES**

Concrete \_\_\_\_\_

Workmanship \_\_\_\_\_

**AUTOMOBILE/EQUIPMENT INSURANCE**

The SUPPLIER/CONTRACTOR will effect at his/her own expense (including the cost of deductibles) and maintain and keep in force during the term of this agreement, automobile/equipment insurance coverage naming The Corporation of the County of Prince Edward as an **"Additional"** insured, including a cross-liability provision in favor of The Corporation of the County of Prince Edward, against claims for personal injury, death, property damage or loss, arising from an accident or occurrence relating to this agreement, in an amount of not less than Two Million Dollars (**\$2,000,000.00**) in respect of each claim or occurrence. The insurance policy as required herein shall be in force during the terms of the contract.

**WORKPLACE SAFETY & INSURANCE BOARD**

- a) The successful Proponent shall furnish a WSIB Clearance Certificate indicating their WSIB firm number, account number and that their account is in good standing. This form must be furnished prior to commencement of work. The successful Proponent further agrees to maintain their WSIB account in good standing throughout the contract period.

- b) Clearance certificates should be renewed every ninety (90) days during the term of the Contract.
- c) If the successful Proponent is a self-employed individual, partner or executive officer who does not pay WSIB premium and is recognized by WSIB as an “independent operator” a letter from WSIB acknowledging independent contractor status and confirming that WSIB coverage is not required must be provided to the County prior to commencement of work.

### **OCCUPATIONAL HEALTH AND SAFETY ACT REQUIREMENTS**

The awarded supplier will complete the County of Prince Edward Contractor Accountability Health and Safety Forms with a Representative from the Engineering, Development and Works Department. **All required certificates are to be submitted with the Health and Safety Forms.**

### **REQUIREMENTS AT TIME OF EXECUTION**

Subject to an award of the TENDER by The Corporation of the County of Prince Edward, the Bidder is required to submit the following documentation in a form satisfactory to The Corporation of the County of Prince Edward for execution within ten (10) days after being notified in writing to do so by The Corporation of the County of Prince Edward:

- Certificate of Clearance from Workers Compensation Board;
- General Liability, automobile, equipment, public liability and property damage insurance.
- County of Prince Edward Contractor Accountability Health and Safety Forms



**Accessibility for Ontarians with Disabilities Act (AODA)**

Contracted employees, third party employees, agents, and others who deal with members of the public on behalf of the County of Prince Edward must meet the requirements of Ontario Regulation 429/07, Accessibility Standards for Customer Service, and Ontario Regulation 191/11, Integrated Accessibility Standards, with regards to training.

Training for the aforementioned regulations can be accessed online at the following website addresses:

Access Forward: Training for an Accessible Ontario

<http://www.accessforward.ca>

The Ontario Human Rights Commission: The Ontario Human Rights Code and the Accessibility for Ontarians with Disabilities Act

<http://www.ohrc.on.ca/en/learning/working-together-code-and-aoda>

Contracted services suppliers are to ensure that training records are maintained, including dates when training was provided, the number of personnel who received training and individual training records. The suppliers are to ensure this information is available to the County of Prince Edward at any time during the term of the contract, upon request.

I acknowledge the aforementioned accessibility regulations:

Company Name: \_\_\_\_\_

Authorized Official (print): \_\_\_\_\_

Authorized Official (signature): \_\_\_\_\_

Date: \_\_\_\_\_

**SIGNED FORMED TO BE SUBMITTED WITH QUOTE**

**PRICING SCHEDULE**

**FORM OF IRREVOCABLE OFFER**

I hereby offer to provide the requirements of this Request for Quotation to the Corporation of the County of Prince Edward according to the terms set out in this quotation including the requirement for and acceptance by a formal contract acceptable to the Corporation of the County of Prince Edward. I also agree that this irrevocable offer shall be open to acceptance by the Corporation for a period of **SIXTY (60) days** from the closing date for the receipt of proposals.

**Pricing Schedule:**

| <b>PART A:</b>   | <b>Quantity</b>       | <b>Unit Price</b> | <b>Sub-Total</b> | <b>HST</b> | <b>Total</b> |
|--|-----------------------|-------------------|------------------|------------|--------------|
| Item 1:<br>Sidewalk Replacement                                    | 124.91 m <sup>2</sup> | \$                | \$               | \$         | \$           |
| Item 2:<br>Tactile Plates  | 2 each                | \$                | \$               | \$         | \$           |
| Item 3:<br>Curb & Gutter   | 13 m                  | \$                | \$               | \$         | \$           |
| Item 4:<br>Additional Hot Mix Asphalt                              | 3.3 m <sup>2</sup>    | \$                | \$               | \$         | \$           |
| Item 5:<br>Cold Weather Work<br><i>As determined by conditions</i> | (per m <sup>2</sup> ) | \$                | \$               | \$         | \$           |
| <b>TOTAL</b>   |                       |                   | \$               | \$         | \$           |

| <b>Provisional Work:</b>        | <b>Quantity</b>      | <b>Unit Price</b> | <b>Sub-Total</b> | <b>HST</b> | <b>Total</b> |
|---------------------------------|----------------------|-------------------|------------------|------------|--------------|
| Item 1:<br>Sidewalk Replacement | 33.51 m <sup>2</sup> | \$                | \$               | \$         | \$           |
| Item 2:<br>Tactile Plates       | 12 each              | \$                | \$               | \$         | \$           |
| Item 3:<br>Curb & Gutter        | 27.4 m               | \$                | \$               | \$         | \$           |
| <b>TOTAL</b>                    |                      |                   | \$               | \$         | \$           |

The above Pricing Schedule is to include all LABOUR, VEHICLE AND TRAVEL costs.

(This section **MUST** be completed by the bidder)

|   |                     |
|---|---------------------|
| Name of Firm (please print):                      | Name of Contractor: |
| Signature of Contractor (signing for above firm): | Address:            |
| Phone #:  | Email:              |

**Reference Information**

BIDDERS are required to provide three (3) references listing contracts similar to the project described in this TENDER and undertaken within the past three (3) years.

1) NAME (Company/Government Agency)\_\_\_\_\_

Contract Description\_\_\_\_\_

Contact Person\_\_\_\_\_

Phone Number ( ) \_\_\_\_\_ Fax Number: \_\_\_\_\_

Email Address (if available): \_\_\_\_\_

Value of Contract \$ \_\_\_\_\_

2) NAME (Company/Government Agency)\_\_\_\_\_

Contract Description\_\_\_\_\_

Contact Person\_\_\_\_\_

Phone Number ( ) \_\_\_\_\_ Fax Number: \_\_\_\_\_

Email Address (if available): \_\_\_\_\_

Value of Contract \$ \_\_\_\_\_

3) NAME (Company/Government Agency)\_\_\_\_\_

Contract Description\_\_\_\_\_

Contact Person\_\_\_\_\_

Phone Number ( ) \_\_\_\_\_ Fax Number: \_\_\_\_\_

Email Address (if available): \_\_\_\_\_

Value of Contract \$ \_\_\_\_\_

The MUNICIPALITY reserves the right to check additional references and sources to those supplied by the BIDDER.

\_\_\_\_\_  
Company/BIDDER

\_\_\_\_\_  
Authorized Signature

## **APPENDIX A**

# SCHEDULE OF QUANTITIES

| 2020 Sidewalk Maintenance Panel Replacements                 |  |  |                                      |                       |                          |  |
|--|--|--|--------------------------------------|-----------------------|--------------------------|--|
| PICTON   | Address/Location                                       | Number of Panels   | Sidewalk (m <sup>2</sup> )           | Tactile Plates (each) | Curb & Gutter (linear m) | Additional Hot Mix Asphalt (m <sup>2</sup> ) |
|  | 26 Barker Street (intersection with Bowery St)         | 3  | 5.98                                 | 2                     |                          |  |
|  | Bridge Street - across from Church Street              | 1  | 1.8                                  |                       |                          |  |
|  | Chapel Street - in front of Picton United Church       | 2  | 2.52                                 |                       |                          |  |
|  | 5 Low Street   | 3  | 5.06                                 |                       |                          |  |
|  | 7 Low Street   | 7  | 11.99                                |                       |                          |  |
|  | 11 Low Street  | 3  | 4.62                                 |                       |                          |  |
|  | 23 Pitt Street   | 2  | 4.65                                 |                       |                          |  |
|  | 25 Pitt Street   | 1  | 2.25                                 |                       |                          |  |
|  | 56 Union Street  | 2  | 3.6                                  |                       |                          |  |
|  | York Street - near Marsh Creek bridge and Lalor Street | 2  | 3.38                                 |                       |                          |  |
|  | 26 York Street (driveway)                              | 4  | 8.14                                 |                       |                          |  |
|  | Main St & Bowery Street (Esso Side)                    |  |                                      |                       | 2.5                      |  |
| King St. & Elizabeth Street - East of Bell Building/Entrance |  |  |                                      | 3.3                   | 3.3                      |  |
| BLOOMFIELD   | Address/Location                                       | Number of Panels   | Estimated Quantity (m <sup>2</sup> ) | Tactile Plates (each) | Curb & Gutter (linear m) | Additional Hot Mix Asphalt (m <sup>2</sup> ) |
|  | 442 Main Street  | 2  | 4.68                                 |                       |                          |  |
|  | 11 Stanley Street                                      |  |                                      |                       | 3.4                      |  |
| 27 Shannon Road  | 2  | 3.6  |                                      |                       |                          |  |
| WELLINGTON   | Address/Location                                       | Number of Panels   | Estimated Quantity (m <sup>2</sup> ) | Tactile Plates (each) | Curb & Gutter (linear m) | Additional Hot Mix Asphalt (m <sup>2</sup> ) |
|  | 165 Niles Street - entrance to ball diamond            | 2  | 3.84                                 |                       |                          |  |
|  | 230 Niles Street                                       | 1  | 1.8                                  |                       |                          |  |
|  | 222 Main Street  | 2  | 8.48                                 |                       |                          |  |
|  | 240 Main Street (CML School)                           | 1  | 2.47                                 |                       |                          |  |
|  | 274 Main Street  | 1  | 4.86                                 |                       |                          |  |
|  | Second Street (near 48 West Street)                    | 1  | 1.95                                 |                       |                          |  |
| 22 West Street   | 1  | 1.68   |                                      |                       |                          |  |
| CONSECON   | Address/Location                                       | Number of Panels   | Estimated Quantity (m <sup>2</sup> ) | Tactile Plates (each) | Curb & Gutter (linear m) | Additional Hot Mix Asphalt (m <sup>2</sup> ) |
|  | 10 Squires Street - near driveway                      | 1  | 2.1                                  |                       |                          |  |
| DEMORESTVILLE  | Address/Location                                       | Number of Panels   | Estimated Quantity (m <sup>2</sup> ) | Tactile Plates (each) | Curb & Gutter (linear m) | Additional Hot Mix Asphalt (m <sup>2</sup> ) |
|  | 2732 County Road 5                                     | 2  | 3.72                                 |                       |                          |  |
| MILFORD  | Address/Location                                       | Number of Panels   | Estimated Quantity (m <sup>2</sup> ) | Tactile Plates (each) | Curb & Gutter (linear m) | Additional Hot Mix Asphalt (m <sup>2</sup> ) |
|  | County Road 10 - near Town Hall at Saint Philip St.    | 2  | 7.5                                  |                       |                          |  |
| CHERRY VALLEY  | Address/Location                                       | Number of Panels   | Estimated Quantity (m <sup>2</sup> ) | Tactile Plates (each) | Curb & Gutter (linear m) | Additional Hot Mix Asphalt (m <sup>2</sup> ) |
|  | 1571 County Road 10                                    | 4  | 7.8                                  |                       |                          |  |
|  | 1607 County Road 10                                    | 2  | 3.72                                 |                       |                          |  |
|  | 1618 County Road 10 (at catch basin)                   |  |                                      |                       | 3.8                      |  |
|  | 1678 County Road 10                                    | 1  | 1.8                                  |                       |                          |  |
|  | 1690 County Road 10                                    | 1  | 1.8                                  |                       |                          |  |
|  | 7 County Road 18 (near Stop Sign)                      | 2  | 3.72                                 |                       |                          |  |
|  | 41 County Road 18                                      | 2  | 3.6                                  |                       |                          |  |
|  |  | 1  | 1.8                                  |                       |                          |  |
|  | 57 County Road 18                                      | 1  | 1.8                                  |                       |                          |  |
|  | <b>TOTAL</b>   |  | <b>124.91</b>                        | <b>2</b>              | <b>13</b>                | <b>3.3</b>                                   |
| PROVISIONAL WORK   | Address/Location                                       | Number of Panels   | Sidewalk (m <sup>2</sup> )           | Tactile Plates (each) | Curb & Gutter (linear m) | Additional Hot Mix Asphalt (m <sup>2</sup> ) |
|  | PICTON   | Provisional: Elizabeth St & Mary Street Intersection - All Corners | 12                                   | 33.51                 | 12                       | 27.4   |